Happy Dog Hideaway Happy Dog Kennels

Contact Information Happy Dog Hideaway-East Madison 605-332-2151 Happy Dog Kennels-North Cliff 605-332-0595	What we do to protect your pets from Canine Cough? At Happy Dog, we clean our daycare kennels, all of our walls, floors and suites according to industry standards. Dogs exhibiting signs of Canine Cough are kept away from other dogs. Parents are immediately called and asked to pick up their dog if they are showing symptoms. However, no amount of supervision, sanitation, or personalized care is 100% effective in protecting your pet from catching Canine Cough.
	Can my dog come stay if they have Canine Cough?
	No. If your dog has Canine Cough, please keep them isolated at home. We do not want anyone else's dog to be exposed. They may remain contagious for 3 – 6 weeks. A general rule is to keep them at home until 1 week after their last cough.
	What can I do to prevent my dog from getting Canine Cough?
	The Bordetella vaccine does help to prevent Canine Cough. However, it is not 100% effective. As there are several different strains of Canine Cough, and Bordetella only protects against one. Just as the flu vaccine for humans does not protect against every strain of the flu. For more information regarding vaccinating your pet, please ask your veterinarian. As with all medical illnesses and concerns, we recommend you consult your vet about any vaccinations and medications regarding their health.
	Reference List https://www.aspca.org/pet -care/dog -care/ commondog -diseases http:// www.dogscountryclubandkennelresort.com.au / uploads/1/6/6/4/16643752/ dcckr_caninecough.pdf http://www.peteducation.com/article.cfm? c=2+2102&aid=452 http://www.petmd.com/dog/general -health/ evr_dg_kennel_cough_an_indepth_look https://www.whole -dog - journal.com/news/ KennelCough -Treatment -and -Prevention - 21591 - 1.htm

What is Canine Cough?

Canine Cough is tracheobronchitis. It is often improperly referred to as "Kennel Cough" as it is often spread in enclosed areas where dogs come in contact with each other. It can be viral or bacterial. The most common organism associated with Canine Cough is a bacteria called Bordetella bronchiseptica and two viruses called the Parainflueza virus, and the Adenovirus. An organism called Mycoplasma also causes Canine Cough. This highly contagious upper respiratory illness can be spread via the air or through direct contact. It can spread from dog to dog through greetings, from water dishes, or through germs on surfaces. It is very similar to a chest cold in humans. The incubation period is 3-7 days. The illness is not usually very serious. Most dogs can get over it on their own. Just as with a cold in humans. However, it can lower their resistance to other secondary infections such as pneumonia. So, you should observe them closely to avoid complications.

Canine Cough is usually a seasonal illness and tends to be epidemic. Your dog may be exposed anywhere; at the dog park, going on a neighborhood walk, while boarding, in a daycare center, at your veterinarian's office, dog shows, field trials, you can even bring it home to your dog on your clothing! Dogs build up their immunity against Canine Cough through exposure to the illness. Dogs who frequently attend daycare may not be as susceptible to it. A dog who stops in once a year for boarding will be at a greater risk for picking up the illness.

What are symptoms of Canine Cough?

Puppies, senior dogs and dogs with compromised immune systems are also at a greater risk.

Symptoms:

- A persistent dry cough, or dry hack
- It may sound as if your dog is trying to clear his/ her throat
- The cough can be triggered by exercise
- They may cough up white phlegm
- Nasal discharge

• Fever How can it be treated? Just as humans with a cold, Canine Cough is not "cured." It must run its course.

How is Canine Cough treated?

Antibiotics are often prescribed to prevent a secondary infection. Cough suppressants may also be prescribed to reduce coughing. However, these medications do not attack the illness itself. Monitor your dog, they should show signs of recovery after about 5 days. Make sure they are eating and drinking normally. If you notice signs of breathing difficulty or lethargy, bring them to your vet.